

TENDER DOCUMENT

(PRICE BID FORMAT)

PART - B

Name of the work:

Replacement of roof sheet at Canteen area.

NAME OF THE WORK: REPLACEMENT OF ROOF SHEET AT CANTEEN AREA.

<u>Sl. No.</u>	<u>Item description</u>	<u>Units</u>	<u>Quantity</u>	<u>Rate</u>	<u>Amount</u>
1.00	DISMANTLING AC ROOFING SHEETS: Dismantling existing AC roofing sheets including ridges, hips, valleys and gutters etc., and stacking the serviceable and unserviceable material. Shifting the serviceable materials to the identified store and disposing the unserviceable material to the identified bins as per instruction of Engineer- in-charge.	Sqm	1413.25		
2.00	SUPPLY & FIXING GALVALUME SHEETS: Providing and fixing pre-coated galvanized iron profile sheets (size, shape and pitch of corrugation as approved by Engineer-in-charge)0.50 mm (+ 0.05 %) total coated thickness with zinc coating 120grams per sqm as per IS: 277, in 240 mpa steel grade, 5-7 microns epoxy primer on both side of the sheet and polyester top coat 15-18microns. Sheet should have protective guard film of 25 microns minimum to avoid scratches during transportation and should be supplied in single length upto 12 metre or as desired by Engineerin-charge. The sheet shall be fixed using self-drilling /self-tapping screws of size (5.5x 55 mm) with EPDM seal, complete upto any pitch in horizontal/ vertical or curved surfaces, excluding the cost of purlins, rafters and trusses and including cutting to size and shape wherever required.	Sqm	1413.25		
3.00	LABOUR FOR STRUCTURAL STEEL PAINTING: Labour charges for painting trusses and other structural members with two coats of enamel paint over one coat of red oxide enamel primer, including thoroughly cleaning the structural members and making it free from dirt, dust and other foreign matter, including the cost of all labour, scaffoldings, equipments and all necessary equipments ensuring working safely at height etc complete. The required paint and primer will be supplied by BHEL at free of cost. Working height upto 12.00m.	MT	10.00		
4.00	GALVALUME ACCESSORIES IN M: Providing and fixing recoated steel sheet roofing accessories 0.50 mm (+ 0.05 %) total coated thickness, Zinc coating 120 grams per sqm as per IS: 277, in 240 MPa. steel grade, 5-7 microns epoxy primer on both side of the sheet and polyester top coat 15-18 microns using self-drilling/ self-tapping screws complete.	M	168.00		

	Sub - Total =	
	GST (if any)	
	Grand Total =	

(Rupees _____)

Signature of Contractor = _____

Name of Contractor = _____

Address of contractor = _____

Contact No. of contractor = _____

Email id of contractor = _____